

F. No.21-140/2017-IA-III  
Government of India  
Ministry of Environment, Forest and Climate Change  
(IA.III Section)

Indira Paryavaran Bhawan,  
Jor Bagh Road, New Delhi - 3

Date: 15<sup>th</sup> May, 2018

To,

**Shri S. C. Jain,**  
**M/s Essel Housing Project (P) Ltd**  
II<sup>nd</sup> Floor, Golf Course Road,  
Sector-54, Gurgaon, Haryana-122002

Phone: 011-23324434

Email: jainessel@gmail.com

**Subject: Expansion of Group Housing Colony "Essel Tower" at Sector - 28, Village-Sukhrali and Sarhaul Gurgaon, Haryana by M/s Essel Housing Project (P) Ltd - Environmental Clearance - reg.**

Sir,

This has reference to your online proposal No. IA/HR/NCP/62566/2017 dated 6<sup>th</sup> July, 2017, submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

2. The proposal for grant of environmental clearance to the project 'Expansion of Group Housing Colony "Essel Tower" at Sector - 28, Village - Sukhrali and Sarhaul Gurgaon, Haryana promoted by M/s Essel Housing Project (P) Ltd, was considered by the Expert Appraisal Committee (Infra-2) in its meetings held on 11-13 September, 2017. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting, are as under:-

- (i) The project will be located at Village-Sukhrali and Sarhaul, Sector - 28, Gurgaon [Rect No. 18 (Killa No. 8/2) and Rect No. 18 (Killa No. 18/1 and 23/2)], Haryana at Latitude - 28°28'27.12" N and longitude - 77°04'30.41"E.
- (ii) The project is an expansion project. Project had already been granted Environment Clearance vide letter no. SEIAA/HR/2013/950 Dated 15.10.2013 for the plot area 1,39,920.634 sqm and built up area 4,13,686.065 sqm. Now, additional land has been licensed by Town and Country Planning, Haryana Government to Essel Housing Projects Pvt. Ltd in collaboration with others for setting up a Group Housing Colony vide License no. 21 of 2016 dated 17.11.2016 valid up to 16.11.2021 for area admeasuring 0.19375 acre and license no. 22 of 2016 dated 17.11.2016 valid up to 16.11.2021 for additional area admeasuring 1.75 acre. Thus, applied for further expansion of the same.
- (iii) The Plot Area of the project after expansion will be 1,47,786.7 sqm. Out of which 5479.466 sqm area shall be deducted area under sector road. The net plot area will be 1,42,307.23 sqm. The total built up area after expansion will

be 4,90,174.655 sqm which is greater than 1,50,000 sqm & hence the project falls under Category 'A' Activity 8(b), as per the EIA Notification dated 9<sup>th</sup> December 2016.

- (iv) The project will be comprising of various activities after expansion i.e. Dwelling Units, Community building, Health club, school, water bodies, and Infrastructure facilities. Maximum height of the building will be 85 m. The details are as follows:

Description	Unit	Before EIA Notification, 2006	As per EC	Additional	Total
Plot area	(in sqm)	122636.439	17284.195	7866.064 (1.94 Acres)	147786.7 (36.51 Acres)
Area Under Sector Road	(in sqm)	5479.466		0	5479.466
Net Plot Area	(in sqm)	117156.973	17284.195	7866.64	142307.23
Ground Coverage (Permissible)	(in sqm)	42575.4	6049.47	1573.21	50198.01 (33%)
Ground Coverage (Achieved)	(in sqm)	24507.118	4824.11	1573.21	30904.441 (21%)
F.A.R (Permissible)	(in sqm)	212876.69	30247.34	56421.384	299545.41 (202.68%)
FAR (Achieved)	(in sqm)	212876.69	28647.29	56421.384	297945.36 (201%)
Basement Area	(in sqm)	145893.142	9965.132	-	155858.274
NON-FAR	(in sqm)	11585.88	4717.922	20067.206	36371.017
<b>Built-up area (FAR+Non-FAR+Basement)</b>	(in sqm)	<b>370355.712</b>	<b>43330.344</b>	<b>76488.590</b>	<b>490174.647</b>
Road and open area	(in sqm)	-	67253.469	4139.2312	71392.7 (48%)
Commercial Area	(in sqm)	-	502.02.0	-	502.02.0
Green Area	(in sqm)	37876.103	5459.834	2153.62	45489.557 (31%)
No. of Floors	-	-	G+15	G+23	G+23
No. of blocks	-	-	4	2	6
Number of Basement	-	-	2	0	2
Height of Building	-	-	57 m	85 m	85 m
No. of Dwelling Units	-	1138	82	162	1382
No. of Rain Water Harvesting	-	-	4	2	6
Activities	-	Dwelling Units, Commercial, School, EWS, Servant Units	Dwelling Units, Commercial, School, EWS, Servant Units	Dwelling Units, Commercial, School, EWS, Servant Units	Dwelling Units, Commercial, School, EWS, Servant Units

- (v) During the construction of the proposed project, the water is being supplied from STP treated water of Suncity Township and the same will be maintained without any adverse impact on the environment. Temporary sanitary toilets have been provided during peak labour force.
- (vi) The total water requirement after expansion will be 1332 KLD, of which freshwater requirement will be 1205 KLD. The source of water will be HUDA Supply. The total waste water generation will be 920 KLD. Out of which 709 KLD wastewater is being discharged to sewer (before EIA Notification, 2006). Rest wastewater will be treated in STP of capacity total 260 KLD (130 KLD+130 KLD).
- (vii) 3623 Kg/day Municipal solid waste shall be generated in the project after expansion. The biodegradable waste (2536 Kg/ day) shall be treated in Organic Waste Converter within the complex, recyclable waste generated (1087 Kg/day) handed over to authorized recycler.
- (viii) Used Oil of 48 lit/month shall be collected in leak proof containers at isolated place and then given to approved recycler as per Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2016. E-Waste of 2 kg/ month shall be collected and given to approved recycler.
- (ix) The total power requirement after expansion will be 1510.48 KVA (Existing: 11959.48 KVA and Proposed: 3051 KVA) which will be provided by Dakshin Haryana Vidut Vitran Nigam Ltd. D.G. Set of capacities 4X 100 KVA and 9x750 KVA shall be installed & kept in acoustically treated room & installed with anti-vibration pads and will be used during Power failure only. Hence, to avoid the emissions, stack height of 6 m above roof level for each D.G. sets shall be installed to reduce the air emissions, meeting all the norms prescribed by CPCB.
- (x) Rainwater of buildings will be collected in 6 No. (Existing- 4 & Proposed -2) of RWH pits shall be provided for storm water recharging to ground.
- (xi) Adequate parking provision shall be provided in the project of 867 ECS as Basement parking & Surface parking
- (xii) No eco-sensitive area lies within 10 km radius. Sultanpur National Park - 18.05 Km SWW.
- (xiii) There is no court case pending against the project.
- (xiv) Standard ToR was granted by the Ministry vide Letter No. F.No. 21-140/2017-IA-III dated 02.06.2017.
- (xv) Investment/Cost of the project Rs. 700 Crores.
- (xvi) Employment potential – Labourers during construction phase 150 no. and about 120 personnel as staff during operation phase.
- (xvii) Benefits of the project: It will increase Infrastructure of the area & will provide housing facility, educational facility, commercial area and open space with all other basic amenities to various classes of people.

3. The project falls under Category 'A' under item no. 8 (b) i.e. Townships and Area Development Projects of the schedule to the EIA Notification, 2006 and

requires appraisal at Central level.

4. The EAC, in its meeting held on 11-13 September, 2017, after detailed deliberations on the proposal, has recommended for grant of Environmental Clearance to the project. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project 'Expansion of "Group Housing Colony" Essel Tower at Sector- 28, Village-Sukhrali and Sarhaul Gurgaon, Haryana promoted by M/s Essel Housing Project (P) Ltd, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

#### **PART A – SPECIFIC CONDITIONS:**

- (i) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (ii) The Building height shall be regulated as per the clearance obtained from the Airport Authority of India as per the New Guidelines of 2015.
- (iii) The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.

#### **Topography and natural Drainage**

- (iv) The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.

#### **Water requirement, Conservation, rain water Harvesting, and Ground Water Recharge**

- (v) As proposed, fresh water requirement from HUDA water supply shall not exceed 1205 KLD.
- (vi) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- (vii) At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- (viii) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.

- (ix) Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- (x) Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- (xi) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 6 nos of rain water harvesting recharge pits shall be provided for ground water recharge as per CGWB guidelines.
- (xiii) As proposed, no ground water shall be used during construction/ operation phase of the project.
- (xiv) Approval of the CGWA require before any dewatering for basements.

### **Solid Waste Management**

- (xv) The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- (xvi) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvii) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. As proposed 150 sqm area shall be provided for solid waste management within the premises which will include area for segregation, collection composting. The inert waste from group housing project will be sent to dumping site.
- (xviii) Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.

### **Sewage Treatment Plant**

- (xix) Sewage shall be treated in the STP based on Fluidized Aerated Bed (FAB) Technology with tertiary treatment (preferably Ultra Filtration). The treated effluent from STP shall be recycled/re-used in Flushing, D.G Cooling, Gardening and misc. purposes and shall be used for road side plantation.
- (xx) Excess treated water can also be reused through roadside plantations, in forestry or for dust suppression in consultation with the local Body concerned and /or the Forest Department.
- (xxi) No sewage or untreated effluent water would be discharged through storm water drains.



- (xxii) The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- (xxiii) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

## Energy

- (xxiv) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- (xxv) Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- (xxvi) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- (xxvii) Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
- (xxviii) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 and 25<sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.



## **Air Quality and Noise**

- (xxix) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- (xxx) All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- (xxxi) The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- (xxxii) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- (xxxiii) For indoor air quality the ventilation provisions as per National Building Code of India.
- (xxxiv) Ambient noise levels shall conform to residential standards both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.

## **Green Cover**

- (xxxv) A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Preference should be given to planting native species. Where the trees need to be cut, compensatory plantation in the ratio of 1:3 (i.e. planting of 3 trees for every 1 tree that is cut) shall be done and maintained. As proposed total green area of 45489.557 sqm (31%) shall be provided.

## **Top Soil preservation and Reuse**

- (xxxvi) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled

appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

### **Transport**

- (xxxvii) A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
- Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - Traffic calming measures
  - Proper design of entry and exit points.
  - Parking norms as per local regulation
- (xxxviii) An assessment of the cumulative impact of all activities being carried out or proposed to be carried out by the project, shall be made for traffic densities and parking capabilities in a 05 kms radius from the site. A detailed traffic management and a traffic decongestion plan drawn up through an organisation of repute and specialising in Transport Planning shall be implemented to the satisfaction of the State Urban Development and Transport Departments shall also include the consent of all the concerned implementing agencies.
- (xxxix) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

### **Environment management Plan**

- (xl) An environmental management plan (EMP) as prepared and submitted along with EIA Report shall be implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.

### **Others**

- (xli) Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.





- (xlii) A First Aid Room shall be provided in the project both during construction and operations of the project.
- (xliii) The company shall draw up and implement corporate social Responsibility plan as per the Company's Act of 2013.
- (xliv) Project Proponent should comply with conditions stipulated at Appendix - XIV of the amended EIA Notification vide S.O. 3999(E) dated 09.12.2016.

## **PART B - GENERAL CONDITIONS**

- (i) A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/ Tehsildar's office for 30 days.
- (ii) The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.
- (iii) Officials from the Regional Office of MoEF&CC, Chandigarh who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF&CC shall be forwarded to the APCCF, Regional Office of MoEF&CC, Chandigarh.
- (iv) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
- (v) The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- (vi) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the Forest Conservation Act, 1980 and the Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
- (vii) These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.
- (viii) The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at <http://www.envfor.nic.in>. The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a

copy of the same shall be forwarded to the Regional Office of this Ministry at Chandigarh.

- (ix) Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- (x) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
5. This issues with the approval of the Competent Authority.

  
(Kushal Vashist)  
Director

**Copy to:**

- 1) The Secretary, Directorate of Environment, Government of Haryana, SCO 1-2-3, Sector 17 D (Second Floor), Chandigarh.
- 2) Addl. Principal Chief Conservator of Forests (Central), Ministry of Environment, Forests and Climate Change, Regional Office(NZ), Bay No.24-25, Sector 31-A, Dakshin Marg, Chandigarh-160030.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) Member Secretary, Haryana Pollution Control Board, C-11, Sector-6, Panchkula, Haryana 134109
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.

  
(Kushal Vashist)  
Director